



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,285	11/25/2003	Rahul Shrivastav	5853-278-1	9081

7590 10/18/2007  
Gregory A. Nelson  
Akerman Senterfitt  
P.O. Box 3188  
West Palm Beach, FL 33402-3188

EXAMINER

STOFFREGEN, JOEL

ART UNIT	PAPER NUMBER
----------	--------------

2626

MAIL DATE	DELIVERY MODE
-----------	---------------

10/18/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/722,285	<b>Applicant(s)</b> SHRIVASTAV, RAHUL	
	<b>Examiner</b> Joel Stoffregen	<b>Art Unit</b> 2626	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 August 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,3-11,13-21 and 23-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 3-11, 13-21, and 23-30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                    | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

**DETAILED ACTION**

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

***Response to Amendment***

2. This communication is response to applicant's amendment filed 08/20/2007. The applicant amended claims 1, 3-11, 13-21, and 23-30 and cancelled claims 2, 12, and 22. Claims 1, 3-11, 13-21, and 23-30 are currently pending in this application.

***Response to Arguments***

3. Applicant's arguments with respect to claims 1-30 have been considered but are moot in view of the new ground(s) of rejection (see below).

***Claim Rejections - 35 USC § 103***

4. **Claims 1, 11, and 21** are rejected under 35 U.S.C. 103(a) as being unpatentable over BAYYA et al. (US 6,446,038) in view of TREURNIET et al. (Patent No.: US 7,164,771).
5. Regarding **claim 1**, BAYYA teaches a method of diagnosing voices comprising: processing a received voice signal associated with a speaker ("receives an input corresponding to the corrupted speech signal", BAYYA, column 2, lines 49-50);

identifying one or more attributes of said processed voice signal ("generates corresponding signals 18 representing the amount of distortion in the corrupted speech signal for each of the plurality of distortion measure utilized", BAYYA, column 3, lines 21-24);

comparing said identified attributes in said processed voice signal with one or more baseline voice quality attributes derived from at least one baseline voice signal (see BAYYA, columns 3-4, equations 1-6), said derived attributes associated with at least one baseline measure of voice quality ("the speech reference vectors 16 are obtained from a large number of clean speech samples", BAYYA, column 2, lines 57-58); and

based upon said comparing step, determining at least one objective measure of voice quality of said speaker ("predicting the subjective scores corresponding to the quality of speech based on the objective measurements", BAYYA, column 4, lines 58-59), said at least one objective measure defining a degree of voice quality of said speaker ("value between 1 and 5", BAYYA, column 5, line 6) relative to said at least one baseline measure of voice quality ("the speech reference vectors 16 are obtained from a large number of clean speech samples", BAYYA, column 2, lines 57-58).

However, BAYYA does not disclose using an auditory model. In the same field of field of quality measurement, TREURNIET teaches processing a received voice signal associated with a speaker using an auditory model ("peripheral ear processor 22 that processes signals according to a peripheral ear model", TREURNIET, column 4, lines 24-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the peripheral ear model of TREURNIET to process the input received by BAYYA in order to better estimate how the signal will be perceived (see TREURNIET, column 2, lines 19-22).

6. Regarding **claim 11**, BAYYA teaches a system for diagnosing voices comprising:  
means for processing a received voice signal associated with a speaker  
("receives an input corresponding to the corrupted speech signal", BAYYA, column 2, lines 49-50);

means for identifying one or more attributes of said processed voice signal ("generates corresponding signals 18 representing the amount of distortion in the corrupted speech signal for each of the plurality of distortion measure utilized", BAYYA, column 3, lines 21-24);

means for comparing said identified attributes in said processed voice signal with one or more baseline voice quality attributes derived from at least one baseline voice signal (see BAYYA, columns 3-4, equations 1-6), said derived attributes associated with at least one baseline measure of voice quality ("the speech reference vectors 16 are obtained from a large number of clean speech samples", BAYYA, column 2, lines 57-58); and

means for determining at least one objective measure of voice quality of said speaker based on said comparison ("predicting the subjective scores corresponding to the quality of speech based on the objective measurements", BAYYA, column 4, lines 58-59), said at least one objective measure defining a degree of voice quality of said speaker ("value between 1 and 5", BAYYA, column 5, line 6) relative to said at least one baseline measure of voice quality ("the speech reference vectors 16 are obtained from a large number of clean speech samples", BAYYA, column 2, lines 57-58).

However, BAYYA does not disclose using an auditory model. In the same field of field of quality measurement, TREURNIET teaches processing a received voice signal associated with a speaker using an auditory model ("peripheral ear processor 22 that processes signals according to a peripheral ear model", TREURNIET, column 4, lines 24-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the peripheral ear model of TREURNIET to process the input received by BAYYA in order to better estimate how the signal will be perceived (see TREURNIET, column 2, lines 19-22).

7. Regarding **claim 21**, BAYYA teaches a machine readable storage, having stored thereon a computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

processing a received voice signal associated with a speaker ("receives an input corresponding to the corrupted speech signal", BAYYA, column 2, lines 49-50);

Art Unit: 2626

identifying one or more attributes of said processed voice signal ("generates corresponding signals 18 representing the amount of distortion in the corrupted speech signal for each of the plurality of distortion measure utilized", BAYYA, column 3, lines 21-24);

comparing said identified attributes in said processed voice signal with one or more baseline voice quality attributes derived from at least one baseline voice signal (see BAYYA, columns 3-4, equations 1-6), said derived attributes associated with at least one baseline measure of voice quality ("the speech reference vectors 16 are obtained from a large number of clean speech samples", BAYYA, column 2, lines 57-58); and



based upon said comparing step, determining at least one objective measure of voice quality of said speaker ("predicting the subjective scores corresponding to the quality of speech based on the objective measurements", BAYYA, column 4, lines 58-59), said at least one objective measure defining a degree of voice quality of said speaker ("value between 1 and 5", BAYYA, column 5, line 6) relative to said at least one baseline measure of voice quality ("the speech reference vectors 16 are obtained from a large number of clean speech samples", BAYYA, column 2, lines 57-58).

However, BAYYA does not disclose using an auditory model. In the same field of field of quality measurement, TREURNIET teaches processing a received voice signal associated with a speaker using an auditory model ("peripheral ear processor 22 that processes signals according to a peripheral ear model", TREURNIET, column 4, lines 24-25).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the peripheral ear model of TREURNIET to process the input received by BAYYA in order to better estimate how the signal will be perceived (see TREURNIET, column 2, lines 19-22).

8. **Claims 3-5, 13-15, and 23-25** are rejected under 35 U.S.C. 103(a) as being unpatentable over BAYYA et al. (US 6,446,038) in view of TREURNIET et al. (Patent No.: US 7,164,771), and in further view of DEAL et al. ("Some Waveform and Spectral Features of Vowel Roughness").

9. Regarding **claim 3**, the combination of BAYYA and TREURNIET teaches all the claimed limitation of claim 1.

However, BAYYA and TREURNIET do not disclose that the measure of voice quality is at least one of roughness and hoarseness.

In the same field of speech quality measurement, DEAL discloses a method of measuring vocal roughness. DEAL teaches a measure of voice quality that is at least one of roughness and hoarseness ("provide a quantitative acoustic index predictive of perceived vowel roughness", DEAL, p. 251, 4<sup>th</sup> paragraph, where vowel roughness is associated with voice roughness and hoarseness, see DEAL, p. 251, 2<sup>nd</sup> paragraph).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the measurement method of DEAL as one of the distortion measures of BAYYA in order to increase the versatility of the quality measurement.

10. Regarding **claim 4**, DEAL further teaches that the voice quality attributes of the test voice signal include changes in pitch over time and changes in loudness over time ("acoustic measures of period and amplitude variation", DEAL, p. 251, 4<sup>th</sup> paragraph).

11. Regarding **claim 5**, DEAL further teaches that the voice quality attribute of the test voice signal includes a measure of partial loudness ("acoustic measures of... spectral noise level", DEAL, p. 251, 4<sup>th</sup> paragraph).

12. Regarding **claim 13**, the combination of BAYYA and TREURNIET teaches all the claimed limitation of claim 11.

However, BAYYA and TREURNIET do not disclose that the measure of voice quality is at least one of roughness and hoarseness.

In the same field of speech quality measurement, DEAL discloses a method of measuring vocal roughness. DEAL teaches a measure of voice quality that is at least one of roughness and hoarseness ("provide a quantitative acoustic index predictive of perceived vowel roughness", DEAL, p. 251, 4<sup>th</sup> paragraph, where vowel roughness is associated with voice roughness and hoarseness, see DEAL, p. 251, 2<sup>nd</sup> paragraph).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the measurement method of DEAL as one of the distortion measures of BAYYA in order to increase the versatility of the quality measurement.

13. Regarding **claim 14**, DEAL further teaches that the voice quality attributes of the test voice signal include changes in pitch over time and changes in loudness over time ("acoustic measures of period and amplitude variation", DEAL, p. 251, 4<sup>th</sup> paragraph).

14. Regarding **claim 15**, DEAL further teaches that the voice quality attribute of the test voice signal includes a measure of partial loudness ("acoustic measures of... spectral noise level", DEAL, p. 251, 4<sup>th</sup> paragraph).

15. Regarding **claim 23**, the combination of BAYYA and TREURNIET teaches all the claimed limitation of claim 21.

However, BAYYA and TREURNIET does not disclose that the measure of voice quality is at least one of roughness and hoarseness.

In the same field of speech quality measurement, DEAL discloses a method of measuring vocal roughness. DEAL teaches a measure of voice quality that is at least one of roughness and hoarseness ("provide a quantitative acoustic index predictive of perceived vowel roughness", DEAL, p. 251, 4<sup>th</sup> paragraph, where vowel roughness is associated with voice roughness and hoarseness, see p. 251, 2<sup>nd</sup> paragraph).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the measurement method of DEAL as one of the distortion measures of BAYYA in order to increase the versatility of the quality measurement.

16. Regarding **claim 24**, DEAL further teaches that the voice quality attributes of the test voice signal include changes in pitch over time and changes in loudness over time ("acoustic measures of period and amplitude variation", DEAL, p. 251, 4<sup>th</sup> paragraph).

17. Regarding **claim 25**, DEAL further teaches that the voice quality attribute of the test voice signal includes a measure of partial loudness ("acoustic measures of... spectral noise level", DEAL, p. 251, 4<sup>th</sup> paragraph).

18. **Claims 6-10, 16-20, and 26-30** are rejected under 35 U.S.C. 103(a) as being unpatentable over BAYYA et al. (US 6,446,038) in view of TREURNIET et al. (Patent No.: US 7,164,771), and in further view of HILLENBRAND et al. ("Acoustic Correlates of Breathy Vocal Quality").

19. Regarding **claim 6**, the combination of BAYYA and TREURNIET teaches all of the claimed limitation of claim 1.

However, BAYYA and TREURNIET do not disclose that the measure of voice quality is breathiness.

In the same field of speech quality measurement, HILLENBRAND discloses a method of measuring vocal breathiness. HILLENBRAND teaches a measure of voice quality that is breathiness ("acoustic measures in predicting breathiness ratings", HILLENBRAND, *abstract*).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the measurement method of HILLENBRAND as one of the distortion measures of BAYYA in order to increase the versatility of the quality measurement.

20. Regarding **claim 7**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of low frequency periodic energy ("aspiration noise is inherently weak in the low frequencies", HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph, meaning the low frequencies contain a strong periodic component).

21. Regarding **claim 8**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of high frequency aperiodic energy ("periodic component of the voice source is inherently weak in the mid and high frequencies", HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph, meaning the mid and high frequencies contain a strong aperiodic component).
22. Regarding **claim 9**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of partial loudness of a periodic signal portion of the test voice signal ("measure of the... average energy below 4 kHz", HILLENBRAND, p. 315, 4<sup>th</sup> paragraph, where the low frequencies contain a periodic signal, see HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph).
23. Regarding **claim 10**, HILLENBRAND further teaches that the voice quality attributes of the test voice signal include a measure of noise in the test voice signal and a measure of partial loudness of the test voice signal ("measure of the average spectral energy at or above 4 kHz to the average energy below 4 kHz", HILLENBRAND, p. 315, 4<sup>th</sup> paragraph, where the high frequencies contain noise and the low frequencies contain a periodic signal, see HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph).
24. Regarding **claim 16**, the combination of BAYYA and TREURNIET teaches all of the claimed limitation of claim 11.

However, BAYYA and TREURNIET does not disclose that the measure of voice quality is breathiness.

In the same field of speech quality measurement, HILLENBRAND discloses a method of measuring vocal breathiness. HILLENBRAND teaches a measure of voice quality that is breathiness ("acoustic measures in predicting breathiness ratings", HILLENBRAND, *abstract*).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the measurement method of HILLENBRAND as one of the distortion measures of BAYYA in order to increase the versatility of the quality measurement.

25. Regarding **claim 17**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of low frequency periodic energy ("aspiration noise is inherently weak in the low frequencies", HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph, meaning the low frequencies contain a strong periodic component).

26. Regarding **claim 18**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of high frequency aperiodic energy ("periodic component of the voice source is inherently weak in the mid and high frequencies", HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph, meaning the mid and high frequencies contain a strong aperiodic component).

Art Unit: 2626

27. Regarding **claim 19**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of partial loudness of a periodic signal portion of the test voice signal ("measure of the... average energy below 4 kHz", HILLENBRAND, p. 315, 4<sup>th</sup> paragraph, where the low frequencies contain a periodic signal, see HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph).

28. Regarding **claim 20**, HILLENBRAND further teaches that the voice quality attributes of the test voice signal include a measure of noise in the test voice signal and a measure of partial loudness of the test voice signal ("measure of the average spectral energy at or above 4 kHz to the average energy below 4 kHz", HILLENBRAND, p. 315, 4<sup>th</sup> paragraph, where the high frequencies contain noise and the low frequencies contain a periodic signal, see HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph).

29. Regarding **claim 26**, the combination of BAYYA and TREURNIET teaches all of the claimed limitation of claim 1.

However, BAYYA and TREURNIET do not disclose that the measure of voice quality is breathiness.

In the same field of speech quality measurement, HILLENBRAND discloses a method of measuring vocal breathiness. HILLENBRAND teaches a measure of voice quality that is breathiness ("acoustic measures in predicting breathiness ratings", HILLENBRAND, *abstract*).



Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the measurement method of HILLENBRAND as one of the distortion measures of BAYYA in order to increase the versatility of the quality measurement.

30. Regarding **claim 27**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of low frequency periodic energy ("aspiration noise is inherently weak in the low frequencies", HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph, meaning the low frequencies contain a strong periodic component).

31. Regarding **claim 28**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of high frequency aperiodic energy ("periodic component of the voice source is inherently weak in the mid and high frequencies", HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph, meaning the mid and high frequencies contain a strong aperiodic component).

32. Regarding **claim 29**, HILLENBRAND further teaches that the voice quality attribute of the test voice signal includes a measure of partial loudness of a periodic signal portion of the test voice signal ("measure of the... average energy below 4 kHz", HILLENBRAND, p. 315, 4<sup>th</sup> paragraph, where the low frequencies contain a periodic signal, see HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph).

33. Regarding **claim 30**, HILLENBRAND further teaches that the voice quality attributes of the test voice signal include a measure of noise in the test voice signal and a measure of partial loudness of the test voice signal ("measure of the average spectral energy at or above 4 kHz to the average energy below 4 kHz", HILLENBRAND, p. 315, 4<sup>th</sup> paragraph, where the high frequencies contain noise and the low frequencies contain a periodic signal, see HILLENBRAND, p. 312, 2<sup>nd</sup> paragraph).

### ***Conclusion***

34. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joel Stoffregen whose telephone number is (571) 270-


Art Unit: 2626

1454. The examiner can normally be reached on Monday - Friday, 9:00 a.m. - 6:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Edouard can be reached on (571) 272-7603. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JS

  
PATRICK N. EDOUARD  
SUPERVISORY PATENT EXAMINER